

## Rigging Screw Townley Clevis-Clevis Grade 6

### Product information



Rigging Screws Clevis-Clevis Grade 6 from Townley

**General:**

- Ideal for lifting, staying and tensioning
- Supplied with NATA proof load certification
- Supplied in three strength grades (3/5/6)

**Material:** Alloy

**Finish:** Galvanized

**Safety factor:** 6:1

**Grade:** 6

<b>Part Code</b>	<b>WLL ton</b>	<b>A mm</b>	<b>B mm</b>	<b>C mm</b>	<b>D mm</b>	<b>E mm</b>	<b>F mm</b>	<b>K mm</b>	<b>Weight (kg)</b>
422100080480	0.8	395	30	14	30	8.5	180	10	0.49
422100120480	1.2	525	36	15	35	8.5	230	10	0.97
422100200480	2	535	45	20	40	9	230	12	1.36
422100320480	3.2	555	55	22	46	10.5	230	16	2.35
422100500480	5	740	59	30	58	13	360	20	4.2
422101000480	10	902	76.5	38	76	14	380	27	11.2
422101200480	12	980	92	51	97	14	410	30	16
422101600480	16	1,013	114	55	115	18	410	36	28
422102000480	20	991	111	55	115	18	410	42	32
422103600480	36	957	105	72.5	156	25	410	56	62.2

# Blueprint

