Lifting Solutions Group
Axel Johnson International

TRS Round Slings

Product information



TRS Round sling - Standard

- **Design:** Load carrying yarn covered with extra strong **SINGLE** sleeve.
- **Colors:** Sleeve color coded according to RAL codes shown in below ”Partcode, RAL code & Load diagram”.
- **Chemical resistance:** Resistant to most acids, but not strong alkalis.
- **Stretch with working load:** 2-3%.

... *Read more*

Material: Polyester (PES), high tenacity multifilament min 60cN/tex.
Marking: The slings are provided with a blue label and a white warning label.
Temperature range: Between -40°C - +100°C.

Safety factor: 7:1

Certex Lifting
info@certexlifting.com.au
1800 237 839

© November 2026 - All Rights Reserved

Lifting Solutions Group
Axel Johnson International

TRS Round Slings

Technical data

Part Code	WLL ton	EWL m	Colour
340100100050470	1	0.5	Violet
340100100080470	1	0.75	Violet
340100100100470	1	1	Violet
340100200100470	2	1	Green
340100200200470	2	2	Green
340100200300470	2	3	Green
340100200400470	2	4	Green
340100200500470	2	5	Green
340100200600470	2	6	Green
340100200800470	2	8	Green
340100300100470	3	1	Yellow
340100300200470	3	2	Yellow
340100300300470	3	3	Yellow
340100300400470	3	4	Yellow
340100300500470	3	5	Yellow
340100300600470	3	6	Yellow
340100400100470	4	1	Grey
340100400200470	4	2	Grey
340100400300470	4	3	Grey
340100400400470	4	4	Grey
340100400500470	4	5	Grey
340100400600470	4	6	Grey
340100400800470	4	8	Grey
340100500200470	5	2	Red
340100500300470	5	3	Red
340100500400470	5	4	Red
340100500500470	5	5	Red
340100500600470	5	6	Red
340100500800470	5	8	Red
340100600200470	6	2	Brown
340108000300470	80	3	-

Certex Lifting
info@certexlifting.com.au
1800 237 839

© November 2026 - All Rights Reserved

Lifting Solutions Group
Axel Johnson International

TRS Round Slings

Technical data

Part Code	WLL ton	EWL m	Colour
340110001200470	100	12	-

Certex Lifting
info@certexlifting.com.au
1800 237 839

© November 2026 - All Rights Reserved