


Chain sling 1

Product information

[... Read more](#)

Grade: 8

Chain sling 1

Technical data

Part Code	Chain size mm	WLL ton	EWL
230500600000020	6	1.12	-
230500600050020	6	1.12	0.5
230500600100020	6	1.12	1
230500600150020	6	1.12	1.5
230500600200020	6	1.12	2
230500600250020	6	1.12	2.5
230500600300020	6	1.12	3
230500600350020	6	1.12	3.5
230500600400020	6	1.12	4
230500600500020	6	1.12	5
230500700000020	7	1.5	-
230500700050020	7	1.5	0.5
230500700100020	7	1.5	1
230500700150020	7	1.5	1.5
230500700200020	7	1.5	2
230500700250020	7	1.5	2.5
230500700300020	7	1.5	3
230500700350020	7	1.5	3.5
230500700400020	7	1.5	4
230500700500020	7	1.5	5
230500800000020	8	2	-
230500800050020	8	2	0.5
230500800100020	8	2	1
230500800150020	8	2	1.5
230500800200020	8	2	2
230500800250020	8	2	2.5
230500800300020	8	2	3
230500800350020	8	2	3.5
230500800400020	8	2	4
230500800500020	8	2	5
230501000000020	10	3.15	-

Chain sling 1

Technical data

Part Code	Chain size mm	WLL ton	EWL
230501000050020	10	3.15	0.5
230501000100020	10	3.15	1
230501000150020	10	3.15	1.5
230501000200020	10	3.15	2
230501000250020	10	3.15	2.5
230501000300020	10	3.15	3
230501000350020	10	3.15	3.5
230501000400020	10	3.15	4
230501000500020	10	3.15	5
230501300000020	13	5.3	-
230501300050020	13	5.3	0.5
230501300100020	13	5.3	1
230501300150020	13	5.3	1.5
230501300200020	13	5.3	2
230501300250020	13	5.3	2.5
230501300300020	13	5.3	3
230501300350020	13	5.3	3.5
230501300400020	13	5.3	4
230501300500020	13	5.3	5
230501600000020	16	8	-
230501600050020	16	8	0.5
230501600100020	16	8	1
230501600150020	16	8	1.5
230501600200020	16	8	2
230501600250020	16	8	2.5
230501600300020	16	8	3
230501600350020	16	8	3.5
230501600400020	16	8	4
230501600500020	16	8	5
230501900000020	19	11.2	-
230501900050020	19	11.2	0.5

Chain sling 1

Technical data

Part Code	Chain size mm	WLL ton	EWL
230501900100020	19	11.2	1
230501900150020	19	11.2	1.5
230501900200020	19	11.2	2
230501900250020	19	11.2	2.5
230501900300020	19	11.2	3
230501900350020	19	11.2	3.5
230501900400020	19	11.2	4
230501900500020	19	11.2	5
230502000000020	20	12.5	-
230502000050020	20	12.5	0.5
230502000100020	20	12.5	1
230502000150020	20	12.5	1.5
230502000200020	20	12.5	2
230502000250020	20	12.5	2.5
230502000300020	20	12.5	3
230502000350020	20	12.5	3.5
230502000400020	20	12.5	4
230502000500020	20	12.5	5
230502200000020	22	15	-
230502200050020	22	15	0.5
230502200100020	22	15	1
230502200150020	22	15	1.5
230502200200020	22	15	2
230502200250020	22	15	2.5
230502200300020	22	15	3
230502200350020	22	15	3.5
230502200400020	22	15	4
230502200500020	22	15	5
230502600000020	26	21.2	-
230502600050020	26	21.2	0.5
230502600100020	26	21.2	1

Chain sling 1

Technical data

Part Code	Chain size mm	WLL ton	EWL
230502600150020	26	21.2	1.5
230502600200020	26	21.2	2
230502600250020	26	21.2	2.5
230502600300020	26	21.2	3
230502600350020	26	21.2	3.5
230502600400020	26	21.2	4
230502600500020	26	21.2	5
230503200000020	32	31.5	-
230503200050020	32	31.5	0.5
230503200100020	32	31.5	1
230503200150020	32	31.5	1.5
230503200200020	32	31.5	2
230503200250020	32	31.5	2.5
230503200300020	32	31.5	3
230503200350020	32	31.5	3.5
230503200400020	32	31.5	4
230503200500020	32	31.5	5