Lifting Solutions Group
Axel Johnson International

# Ferrule STS Talurit®

## Product information



Ferrule for splicing of steel wire rope.

Typically carbon steel ferrules are used when corrosion, higher temperature and special dragging applications are used. This system is also an alternative to the flemish eye, this is due to the fact that you have all the benifits as above but the simplicity of a straight turnback system.

The turnback ferrule system is easy to use. It is quick, safe and has proved itself to be totally reliable. It is far more efficient than all other swaging methods on the market.

... *Read more*

**Material:** Carbon steel
**Marking:** According to standard
**Standard:** EN 13411-3
**Note:** See the manufacturer's product data sheet below for guidance on dimension selection.

**Certex Lifting**
info@certexlifting.com.au
1800 237 839

© November 2026 - All Rights Reserved

Lifting Solutions Group
Axel Johnson International

# Ferrule STS Talurit®

## Technical data

| Part Code | Ferrule size mm | Length mm |
|---|---|---|
| 120100500140 | 5 | 22 |
| 120100600140 | 6 | 26 |
| 120100700140 | 7 | 31 |
| 120100800140 | 8 | 34 |
| 120100900140 | 9 | 39 |
| 120101000140 | 10 | 43 |
| 120101100140 | 11 | 52 |
| 120101200140 | 12 | 57 |
| 120101300140 | 13 | 60 |
| 120101400140 | 14 | 69 |
| 120101600140 | 16 | 78 |
| 120101700140 | 17 | 62 |
| 120101800140 | 18 | 65 |
| 120102000140 | 20 | 73 |
| 120102200140 | 22 | 80 |
| 120102400140 | 24 | 87 |
| 120102800140 | 28 | 102 |
| 120103000140 | 30 | 109 |
| 120103400140 | 34 | 124 |
| 120103800140 | 38 | 139 |
| 120104200140 | 42 | 153 |
| 120104400140 | 44 | 161 |
| 120104800140 | 48 | 175 |
| 120105200140 | 52 | 190 |
| 120105600140 | 56 | 204 |
| 120106000140 | 60 | 219 |
| 120106400140 | 64 | 234 |
| 120106800140 | 68 | 248 |
| 120107200140 | 72 | 263 |
| 120107600140 | 76 | 278 |
| 120108400140 | 84 | 307 |


© November 2026 - All Rights Reserved

Lifting Solutions Group
Axel Johnson International

# Ferrule STS Talurit®

## Technical data

| Part Code | Ferrule size mm | Length mm |
|---|---|---|
| 120109000140 | 90 | 329 |

Certex Lifting
info@certexlifting.com.au
1800 237 839

© November 2026 - All Rights Reserved